

Figure 1




Figure 2




FIG. 3

Minimum Cardinality	Default Cardinality	Maximum Cardinality	System Adds Default Product?	User Pick Req'd?	Initial Solution	User Actions Allowed
=0	= Min Card	>Default Card	No	No	No items	Increase item quantities to Max Card
>0	> Min Card	=Default Card	No	No	N=Max Card	Decrease Item quantities to 0 but cannot increase them.
>0	> Min Card	>Default Card	No	No	N=Default Card	Increase item quantities to Max Card or decrease them to 0
>0	= Min Card	=Default Card	Yes	Yes	N=Min, Default, Max	Cannot increase or decrease item quantities.
>0	= Min Card	> Default Card	Yes	Yes	N=Min	Can increase item quantities to Max Card but cannot decrease them.
>0	> Min Card	= Default Card	Yes	Yes	N=Default	Can decrease item quantities to Min Card but cannot increase them.
>0	> Min Card	>Default Card	Yes	Yes	N=Default	Can decrease item quantities to Min Card or increase them to Max Card.

Figure 4




Figure 5




Figure 6




Figure 7

FIG. 8 is a block diagram of a system 800. The system 800 includes a customizable product addition logic 810, a customizable product assignment logic 820, a component product addition logic 830, a customizable rule addition logic 840, and a customizable UI mapping logic 850. The system 800 is configured to perform the following steps: (a) receiving a request to add a new product; (b) determining whether the request is for a customizable product; (c) if yes, executing the customizable product addition logic 810; (d) if no, executing the component product addition logic 830; (e) receiving a request to assign a product to a user; (f) determining whether the request is for a customizable product; (g) if yes, executing the customizable product assignment logic 820; (h) if no, executing the component product addition logic 830; (i) receiving a request to add a new rule; (j) determining whether the request is for a customizable rule; (k) if yes, executing the customizable rule addition logic 840; (l) if no, executing the component product addition logic 830; (m) receiving a request to map a UI element to a product; (n) determining whether the request is for a customizable UI mapping; (o) if yes, executing the customizable UI mapping logic 850; (p) if no, executing the component product addition logic 830.




Figure 8